


CVM



Contemporary Visual Merchandiser

True
REFRIGERATION®


CVM-11-HC~EGC01



LED interior lighting, safety shielded.



Built in handle for safe opening from the top or the side.



Left door hinge also available.



Specification

Dimensions W x D† x H (mm)	Shelves	Shelf Size L x D (mm)	Net/Gross Volume (Litres)	Annual Energy Consumption (kWh)	EEC*
630 x 581 x 1360	4	524 x 445	239.5/301	425	C


Highlighted features apply to all True Refrigeration CVM models unless otherwise noted.

† Depth does not include 26 mm for rear bumper.

* Tested according to EN ISO 22044:2022 for commercial beverage coolers.

CVM-13-HC~EGC01

Illuminated handle position indicator.



Consistent temperature holds between 0.5°C & 3.3°C for the best in food and drink preservation.

Specification

Dimensions W x D† x H (mm)	Shelves	Shelf Size L x D (mm)	Net/Gross Volume (Litres)	Annual Energy Consumption (kWh)	EEC*
630 x 581 x 1617	5	524 x 445	295.9/373	465	C

Highlighted features apply to all True Refrigeration CVM models unless otherwise noted.

† Depth does not include 26 mm for rear bumper.

*Tested according to EN ISO 22044:2022 for commercial beverage coolers.

CVM-20-HC~EGC01



Find out more



"Low-E", double pane thermal insulated glass door for greater energy efficiency.



Non-peel black powder coated cold rolled steel exterior.

Specification

Dimensions W x D† x H (mm)	Shelves	Shelf Size L x D (mm)	Net/Gross Volume (Litres)	Annual Energy Consumption (kWh)	EEC
686 x 623 x 1994	6	571 x 464	-/484	-	-

Highlighted features apply to all True Refrigeration CVM models unless otherwise noted.

† Depth does not include 16 mm for rear mechanical components.

CVM-24-HC~EGC01



Find out more



Curved-edge
door design.



Environmentally
friendly natural
R290 refrigerant
hydrocarbon gas.

Specification

Dimensions W x D† x H (mm)	Shelves	Shelf Size L x D (mm)	Net/Gross Volume (Litres)	Annual Energy Consumption (kWh)	EEC*
686 x 750 x 1994	6	571 x 591	462/600	668	C

Highlighted features apply to all True Refrigeration CVM models unless otherwise noted.

†Depth does not include 26 mm for rear bumper or 16 mm for rear mechanical components.

*Tested according to EN ISO 22044:2022 for commercial beverage coolers.

The Contemporary Visual Merchandiser range merges modern styling and dependable performance.

Curved-edge design, robust construction and versatile shelving maximise product visibility, while offering generous chilled storage.

Engineered for efficiency and reliability, the CVM range delivers consistent temperatures and low energy use. "Low E" double-pane glass doors, bright LED lighting, and an illuminated handle indicator improve both accessibility and presentation, ensuring products are displayed at their best.

All True products are covered by our industry-leading seven-year parts and labour warranty, giving you confidence and peace of mind.

Elevate your display and reduce running costs by contacting our expert team at True Refrigeration.



UK & Ireland

TFIUK@truemfg.com

www.truefrigeration.co.uk

EMEA

true-ch@truemfg.com

www.truefrigeration.ch



Find out more

